AUTHOR INDEX

A

Accolla, R. S., Scarpellino, L., Carra, G., and Guardiola, J. *Trans*-acting element(s) operating across species barriers positively regulate expression of major histocompatibility complex class II genes. 1117

Acuto, O., Hussey, R. E., and Reinherz, E. L. Multiple class I and class II major histocompatibility complex allospecificities are generated with T cell receptor variable (V) domains created by a single Ti β V gene family. 1387

Aguado, M. T. *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Akagawa, K. S., and Tokunaga, T. Lack of binding of bacterial lipopolysaccharide to mouse lung macrophages and restoration of binding by γ interferon. 1444

Alderete, J. F. *See* Thomas, Baseman, and Alderete.

Aldrich, W. R. *See* Picus, Holley, Aldrich, Griffin, and Letvin.

Allavena, P. *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Allen, H. *See* Bluestone, Foo, Allen, Segal, and Flavell.

Allen, P. M., McKean, D. J., Beck, B. N., Sheffield, J., and Glimcher, L. H. Direct evidence that a class II molecule and a simple globular protein generate multiple determinants. 1264

Althage, A. *See* Zinkernagel, Leist, Hengartner, and Althage.

Amagai, T. *See* Minato, Amagai, Yodoi, Diamanstein, and Kano.

Ambrus, J. L., Jr., Jurgensen, C. H., Brown, E. J., and Fauci, A. S. Purification to homogeneity of a high molecular weight human B cell growth factor; demonstration of specific binding to activated B cells; and development of a monoclonal antibody to the factor. 1319

—, *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.

Anders, R. F. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Anderson, S. L. *See* Rubin, Anderson, Sullivan, Williamson, Carswell, and Old.

Artzt, K., Shin, H.-S., Bennett, D., and Dimeo-Talento, A. Analysis of major histocompatibility complex haplotypes of *t*-chromosomes reveals that the majority of diversity is generated by recombination. 93

Asai, H. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Asano, Y., and Hodes, R. J. T cell regulation of B cell activation. Lyt-1$^+$,2$^-$ T cells modify the MHC-restricted function of heterogeneous and cloned T suppressor cells. 413

Austen, K. F. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

B

Bailey, G. B., Day, D. B., and Gasque, J. W. Rapid polymerization of *Entamoeba histolytica* actin induced by interaction with target cells. 546

Balderas, R. S. *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Bank, I., and Chess, L. Perturbation of the T4 molecule transmits a negative signal to T cells. 1294

—, *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Barber, C. V. *See* Nardella, Teller, Barber, and Mannik.

Barber, W. H. *See* Hutchinson, Barber, and Morris.

Barbieri, S. A. *See* Ildstad, Wren, Bluestone, Barbieri, and Sachs.

Barbui, T. *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Barker, P. E., Royer, H.-D., Ruddle, F. H., and Reinherz, E. L. Regional location of T cell receptor gene *Tiα* on human chromosome 14. 387

Barrera, O. *See* Swanson, Bergström, Barrera, Robbins, and Corwin.

Barrett, L. V. *See* Kirkman, Barrett, Gaulton, Kelley, Ythier, and Strom.

Bartley, G. T. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Bartram, C. R. *bcr* rearrangement without juxtaposition of *c-abl* in chronic myelocytic leukemia. 2175

Baseman, J. B. *See* Thomas, Baseman, and Alderete.

Bassan, R. *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Baubock, C. *See* Johnson, Baubock, and Roder.

Baum, C. M., McKearn, J. P., Riblet, R., and Davie, J. M. Polymorphism of Fc receptor on murine B cells is Igh-linked. 282

Bax, A. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.
Beachey, E. H. *See* Dale and Beachey.
—, *See* Whitnack and Beachey.
Beauchamp, G. K. *See* Yamazaki, Beauchamp, Thomas, and Boyse.
Beck, B. N. *See* Allen, McKean, Beck, Sheffield, and Glimcher.
Becker-Dunn, E. *See* Kim, Woods, Becker-Dunn, and Bottomly.
Beckers, P. J. A. *See* Vermeulen, Ponnudurai, Beckers, Verhave, Smits, and Meuwissen.
Bellon, B. *See* Victor-Kobrin, Bonilla, Bellon, and Bona.
Bennett, D. *See* Artzt, Shin, Bennett, and Dimeo-Talento.
Bennett, J. *See* Cameron, Limjuco, Rodkey, Bennett, and Schmidt.
Beresford, H. R. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.
Bergström, S. *See* Swanson, Bergström, Barrera, Robbins, and Corwin.
Berman, B. *See* Duncan and Berman.
Bernstein, S. E. *See* Sassa, Drummond, Bernstein, and Kappas.
Berson, B. *See* Perlmutter, Berson, Griffin, and Hood.
Berzofsky, J. A. *See* Kawamura, Rosenberg, and Berzofsky.
Beutler, B. *See* Dayer, Beutler, and Cerami.
Bevan, M. J. *See* Lefrancois, Puddington, Machamer, and Bevan.
Bianco, A. E. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.
Bianco, C. *See* Hosein and Bianco.
Biedler, J. L. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.
Bigner, S. H. *See* Kurtzberg, Bigner, and Hershfield.
Bijsterbosch, M. K., and Klaus, G. G. B. Crosslinking of surface immunoglobulin and Fc receptors on B lymphocytes inhibits stimulation of inositol phospholipid breakdown via the antigen receptors. 1825
Birshtein, B. K. *See* Tilley and Birshtein.
Blackwell, J. M., Ezekowitz, R. A. B., Roberts, M. B., Channon, J. Y., Sim, R. B., and Gordon, S. Macrophage complement and lectin-like receptors bind *Leishmania* in the absence of serum. 324
Bl nckmeister, C. A., Yamamoto, K., Davis, M. M., and Hämmerling, G. J. Antigen-specific, I-A-restricted suppressor hybridomas with spontaneous cytolytic activity. 851
Bluestone, J. A., Foo, M., Allen, H., Segal, D., and Flavell, R. A. Allospecific cytolytic T lymphocytes recognize conformational determinants on hybrid mouse transplantation antigens. 268
—, *See* Ildstad, Wren, Bluestone, Barbieri, and Sachs.
—, *See* Rabinowitz, Bluestone, and Sachs.
Bona, C. A. *See* Victor-Kobrin, Bonilla, Bellon, and Bona.
Bonilla, F. A. *See* Victor-Kobrin, Bonilla, Bellon, and Bona.
Borgeat, P. *See* Salari, Borgeat, Fournier, Hebert, and Pelletier.
Bosma, G. C. *See* O'Toole, Bosma, and Bosma.
Bosma, M. J. *See* Marks and Bosma.
—, *See* O'Toole, Bosma, and Bosma.
Bothwell, A. *See* Dzierzak, Brodeur, Marion, Janeway, and Bothwell.
Bottomly, K. *See* Kim, Woods, Becker-Dunn, and Bottomly.
Bourne, H. R. *See* Goldman, Chang, Gifford, Goetzl, and Bourne.
Boyd, R. T. *See* Goldrick, Boyd, Ponath, Lou, and Gottlieb.
Boyse, E. A. *See* Yamazaki, Beauchamp, Thomas, and Boyse.
Braciale, T. J. *See* Lukacher, Morrison, Braciale, Malissen, and Braciale.
Braciale, V. L. *See* Lukacher, Morrison, Braciale, Malissen, and Braciale.
Brahn, E. *See* Helfgott, Dynesius-Trentham, Brahn, and Trentham.
Brodeur, P. *See* Dzierzak, Brodeur, Marion, Janeway, and Bothwell.
Brown, E. J. *See* Ambrus, Jurgensen, Brown, and Fauci.
Brown, G. V., Culvenor, J. G., Crewther, P. E., Bianco, A. E., Coppel, R. L., Saint, R. B., Stahl, H.-D., Kemp, D. J., and Anders, R. F. Localization of the ring-infected erythrocyte surface antigen (RESA) of *Plasmodium falciparum* in merozoites and ring-infected erythrocytes. 774
Buehler, J. *See* Galili, Macher, Buehler, and Shohet.
Burakoff, S. J. *See* Greenstein, Malissen, and Burakoff.
Buse, J. B., Rifai-Haddad, R., Lees, S., Taniguchi, H., Chaplin, D., Milford, E. M., Seidman, J. G., Eisenbarth, G. S., and Jackson, R. A. Major histocompatibility complex restriction fragment length polymorphisms define three diabetogenic haplotypes in BB and BBN rats. 444
Bushkin, Y. *See* Chorney, Tung, Bushkin, and Shen.
Butcher, E. C. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

C

Cameron, P., Limjuco, G., Rodkey, J., Bennett, J., and Schmidt, J. A. Amino acid sequence analysis of human interleukin 1 (IL-1). Evidence for biochemically distinct forms of IL-1. 790
Cannistra, S. A. *See* Herrmann, Cannistra, Levine, and Griffin.
Capra, J. D. *See* Hoover, Marks, Chipman, Palmer, Stastny, and Capra.
Carra, G. *See* Accolla, Scarpellino, Carra, and Guardiola.
Carson, D. A. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.
—, *See* Goldfien, Chen, Fong, and Carson.

Carswell, E. A. *See* Rubin, Anderson, Sullivan, Williamson, Carswell, and Old.

Cassimeris, J. *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Cathcart, E. S. *See* Leslie, Gonnerman, Ullman, Hayes, Franzblau, and Cathcart.

Caulfield, J. P. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Cerami, A. *See* Dayer, Beutler, and Cerami.

Chan, W. L., Lukig, M. L., and Liew, F. Y. Helper T cells induced by an immunopurified herpes simplex virus type I (HSV-I) 115 kilodalton glycoprotein (gB) protect mice against HSV-I infection. 1304

Chang, F.-H. *See* Goldman, Chang, Gifford, Goetzl, and Bourne.

Channon, J. Y. *See* Blackwell, Ezekowitz, Roberts, Channon, Sim, and Gordon.

Chaplin, D. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Chen, P. P., Gõni, F., Houghten, R. A., Fong, S., Goldfien, R., Vaughan, J. H., Frangione, B., and Carson, D. A. Characterization of human rheumatoid factors with seven antiidiotypes induced by synthetic hypervariable region peptides. 487

—, *See* Goldfien, Chen, Fong, and Carson.

Chen, Y.-T., Obata, Y., Stockert, E., and Old, L. J. Thymus-leukemia (TL) antigens of the mouse. Analysis of TL mRNA and TL cDNA from TL^+ and TL^- strains. 1134

Chesa, P. G. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.

Chess, L. *See* Bank and Chess.

—, *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Chipman, J. *See* Hoover, Marks, Chipman, Palmer, Stastny, and Capra.

Chorney, M. J., Tung, J.-S., Bushkin, Y., and Shen, F.-W. Structural characteristics of *Tla* products. 781

Chused, T. M. *See* Fowlkes, Edison, Mathieson, and Chused.

Claman, H. N. *See* Maier, Holda, and Claman.

Clayberger, C., Holmes, N., Wang, P. L., Koller, T. D., Parham, P., and Krensky, A. M. Determinants recognized by human cytotoxic T cells on a natural hybrid class I HLA molecule. 1709

—, *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Clayman, M. *See* Neilson, McCafferty, Mann, Michaud, and Clayman.

Clements, J. E. *See* Kennedy, Narayan, Ghotbi, Hopkins, Gendelman, and Clements.

—, *See* Narayan, Sheffer, Clements, and Tennekoon.

Cohn, Z. A. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.

Coico, R. F., Xue, B., Wallace, D., Siskind, G. W., and Thorbecke, G. J. Physiology of IgD. VI. Transfer of the immunoaugmenting effect of IgD with Iδ-containing helper cell populations. 1852

Colello, R. M. *See* Siliciano, Colello, Keegan, Dintzis, Dintzis, and Shin.

Colomer-Gould, V., Galvao Quintao, L., Keithly, J., and Nogueira, N. A common major surface antigen on amastigotes and promastigotes of *Leishmania* species. 902

Colten, H. R. *See* Ramadori, Sipe, Dinarello, Mizel, and Colten.

Colvin, R. B. *See* Skoskiewicz, Colvin, Schneeberger, and Russell.

Conlon, P. J. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.

Cooper, S. M. *See* Ranges, Sriram, and Cooper.

Coppel, R. L. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Corwin, D. *See* Swanson, Bergström, Barrera, Robbins, and Corwin.

Cotner, T. *See* Pious, Dixon, Levine, Cotner, and Johnson.

Cox, D. R. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Cremer, M. A. *See* Terato, Hasty, Cremer, Stuart, Townes, and Kang.

Crewther, P. E. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Crocker, P. R., and Gordon, S. Isolation and characterization of resident stromal macrophages and hematopoietic cell clusters from mouse bone marrow. 993

Cross, G. A. M. *See* Duszenko, Ferguson, Lamont, Rifkin, and Cross.

Cullen, S. E. *See* Sant, Cullen, Giacoletto, and Schwartz.

Culvenor, J. G. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

D

Dailey, M. O. *See* Tidmarsh, Dailey, Whitlock, Pillemer, and Weissman.

Dale, J. B., and Beachey, E. H. Epitopes of streptococcal M proteins shared with cardiac myosin. 583

Dalla Favera, R. *See* Pelicci, Knowles, and Dalla Favera.

—, *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Davie, J. M. *See* Baum, McKearn, Riblet, and Davie.

Davies, P. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.

Davis, M. M. *See* Blanckmeister, Yamamoto, Davis, and Hämmerling.

Day, D. B. *See* Bailey, Day, and Gasque.

Dayer, J.-M., Beutler, B., and Cerami, A. Cachectin/tumor necrosis factor stimulates collagenase and prostaglandin E_2 production by human synovial cells and dermal fibroblasts. 2163

Degliantoni, G., Murphy, M., Kobayashi, M., Francis, M. K., Perussia, B., and Trinchieri, G. Natural killer (NK) cell–derived hematopoietic colony–inhibiting activity and NK cytotoxic factor. Relationship with tumor necrosis factor and synergism with immune interferon. 1512

Depper, J. M. *See* Greene, Robb, Svetlik, Rusk, Depper, and Leonard.

Diamanstein, T. *See* Minato, Amagai, Yodoi, Diamanstein, and Kano.

Dimeo-Talento, A. *See* Artzt, Shin, Bennett, and Dimeo-Talento.

Dinarello, C. A. *See* Ramadori, Sipe, Dinarello, Mizel, and Colten.

—, *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Dintzis, H. M. *See* Siliciano, Colello, Keegan, Dintzis, Dintzis, and Shin.

Dintzis, R. Z. *See* Siliciano, Colello, Keegan, Dintzis, Dintzis, and Shin.

Dixon, F. J. *See* Kofler, Perlmutter, Noonan, Dixon, and Theofilopoulos.

—, *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Dixon, L. *See* Pious, Dixon, Levine, Cotner, and Johnson.

Dorsch, S. E. *See* Hall, Jelbart, Gurley, and Dorsch.

Dower, S. K., Kronheim, S. R., March, C. J., Conlon, P. J., Hopp, T. P., Gillis, S., and Urdal, D. L. Detection and characterization of high affinity plasma membrane receptors for human interleukin 1. 501

Dracopoli, N. C. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.

Drummond, G. S. *See* Sassa, Drummond, Bernstein, and Kappas.

Dugan, E. S. *See* Hillstrom Shapiro, Dugan, and Neiderhuber.

Duncan, M. R., and Berman, B. γ Interferon is the lymphokine and β interferon the monokine responsible for inhibition of fibroblast collagen production and late but not early fibroblast proliferation. 516

Dupuy-D'Angeac, A. *See* Erard, Nabholz, Dupuy-D'Angeac, and MacDonald.

Duszenko, M., Ferguson, M. A. J., Lamont, G. S., Rifkin, M. R., and Cross, G. A. M. Cysteine eliminates the feeder cell requirement for cultivation of *Trypanosoma brucei* bloodstream forms in vitro. 1256

Dynesius-Trentham, R. *See* Helfgott, Dynesius-Trentham, Brahn, and Trentham.

Dzierzak, E. A., Brodeur, P., Marion, T., Janeway, C. A., Jr., and Bothwell, A. Molecular characterization of antibodies bearing Id-460. II. Molecular basis for Id-460 expression. 1494

E

Edison, L. *See* Fowlkes, Edison, Mathieson, and Chused.

Egan, W. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Eisenbarth, G. S. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Elkon, K. B., Parnassa, A. P., and Foster, C. L. Lupus autoantibodies target ribosomal P proteins. 459

Elvers, U. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.

Engers, H. D. *See* van der Hoorn, Lahaye, Müller, Ogle, and Engers.

Ennis, F. A. *See* Yamada, Young, and Ennis.

—, *See* Yamada, Ziese, Young, Yamada, and Ennis.

Epstein, C. J., Hofmeister, B. G., Yee, D., Smith, S. A., Philip, R., Cox, D. R., and Epstein, L. B. Stem cell deficiencies and thymic abnormalities in fetal mouse trisomy 16. 695

Epstein, L. B. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Erard, F., Nabholz, M., Dupuy-D'Angeac, A., and MacDonald, H. R. Differential requirements for the induction of interleukin 2 responsiveness in L3T4$^+$ and Lyt-2$^+$ T cell subsets. 1738

Ezekowitz, R. A. B. *See* Blackwell, Ezekowitz, Roberts, Channon, Sim, and Gordon.

F

Falkenberg, J. H. F., Fibbe, W. E., Goselink, H. M., Van Rood, J. J., and Jansen, J. Human hematopoietic progenitor cells in long-term cultures express HLA-DR antigens and lack HLA-DQ antigens. 1359

Fathman, C. G. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Fauci, A. S. *See* Ambrus, Jurgensen, Brown, and Fauci.

—, *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.

Fenton, J. W., III. *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Ferguson, M. A. J. *See* Duszenko, Ferguson, Lamont, Rifkin, and Cross.

Fibbe, W. E. *See* Falkenberg, Fibbe, Goselink, Van Rood, and Jansen.

Fisher, D. A., Hunt, S. W., III, and Hood, L. Structure of a gene encoding a murine thymus leukemia antigen, and organization of *Tla* genes in the BALB/c mouse. 528

Flavell, R. A. *See* Bluestone, Foo, Allen, Segal, and Flavell.

Flerlage, M. L. *See* Jacobson, Flerlage, and McFarland.

Fong, S. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

—, *See* Goldfien, Chen, Fong, and Carson.

Foo, M. *See* Bluestone, Foo, Allen, Segal, and Flavell.

Ford, R. J., Yoshimura, L., Morgan, J., Quesada, J., Montagna, R., and Maizel, A. Growth factor–

mediated tumor cell proliferation in hairy cell leukemia. 1093

Foster, C. L. *See* Elkon, Parnassa, and Foster.

Fournier, M. *See* Salari, Borgeat, Fournier, Hebert, and Pelletier.

Fowler, A. V. *See* Krzych, Fowler, and Sercarz.

Fowlkes, B. J., Edison, L., Mathieson, B. J., and Chused, T. M. Early T lymphocytes. Differentiation in vivo of adult intrathymic precursor cells. 802

Francis, M. K. *See* Degliantoni, Murphy, Kobayashi, Francis, Perussia, and Trinchieri.

Frangione, B. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

Frank, M. M. *See* Joiner, Fries, Schmetz, and Frank.

—, *See* Moore, Frank, Müller-Eberhard, and Young.

Franzblau, C. *See* Leslie, Gonnerman, Ullman, Hayes, Franzblau, and Cathcart.

Fries, L. F. *See* Joiner, Fries, Schmetz, and Frank.

Fritz, R. B. *See* Zamvil, Nelson, Mitchell, Knobler, Fritz, and Steinman.

Froscher, B. G., and Klinman, N. R. Strain-specific silencing of a predominant antidextran clonotype family. 1620

G

Gabrilove, J. L. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.

Galili, U., Macher, B. A., Buehler, J., and Shohet, S. B. Human natural anti-α-galactosyl IgG. II. The specific recognition of $\alpha(1 \rightarrow 3)$-linked galactose residues. 573

Galli, S. J. *See* Mekori, Weitzman, and Galli.

—, *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Galvao Quintao, L. *See* Colomer-Gould, Galvao Quintao, Keithly, and Nogueira.

Gandour, D. M. *See* Schwadron, Gandour, and Strober.

Gasque, J. W. *See* Bailey, Day, and Gasque.

Gaulton, G. N. *See* Kirkman, Barrett, Gaulton, Kelley, Ythier, and Strom.

Geha, R. S. *See* Umetsu, Leung, Siraganian, Jabara, and Geha.

Gendelman, H. E. *See* Kennedy, Narayan, Ghotbi, Hopkins, Gendelman, and Clements.

Ghotbi, Z. *See* Kennedy, Narayan, Ghotbi, Hopkins, Gendelman, and Clements.

Giacoletto, K. S. *See* Sant, Cullen, Giacoletto, and Schwartz.

Gifford, L. A. *See* Goldman, Chang, Gifford, Goetzl, and Bourne.

Gilbertson, S. M. *See* Shah, Gilbertson, and Rowley.

Gillis, S. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.

Glimcher, L. H. *See* Allen, McKean, Beck, Sheffield, and Glimcher.

—, *See* Mizuochi, Golding, Rosenberg, Glimcher, Malek, and Singer.

Goetzl, E. J. *See* Goldman, Chang, Gifford, Goetzl, and Bourne.

Goldfien, R. D., Chen, P. P., Fong, S., and Carson, D. A. Synthetic peptides corresponding to third hypervariable region of human monoclonal IgM rheumatiod factor heavy chains define an immunodominant idiotype. 756

—, *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

Golding, H., Munitz, T. I., and Singer, A. Characterization of antigen-specific, Ia-restricted, L3T4$^+$ cytolytic T lymphocytes and assessment of thymic influence on their self specificity. 943

—, *See* Mizuochi, Golding, Rosenberg, Glimcher, Malek, and Singer.

Goldman, D. W., Chang, F.-H., Gifford, L. A., Goetzl, E. J., and Bourne, H. R. Pertussis toxin inhibition of chemotactic factor–induced calcium mobilization and function in human polymorphonuclear leukocytes. 145

Goldrick, M. M., Boyd, R. T., Ponath, P. D., Lou, S.-Y., and Gottlieb, P. D. Molecular genetic analysis of the VκSer group associated with two mouse light chain genetic markers. Complementary DNA cloning and Southern hybridization analysis. 713

Goldstein, S. A. N., and Mescher, M. F. Carbohydrate moieties of major histocompatibility complex class I alloantigens are not required for their recognition by T lymphocytes. 1381

Gõni, F. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

Gonnerman, W. A. *See* Leslie, Gonnerman, Ullman, Hayes, Franzblau, and Cathcart.

Goodenow, R. S. *See* Sun, Goodenow, and Hood.

Gordon, S. *See* Blackwell, Ezekowitz, Roberts, Channon, Sim, and Gordon.

—, *See* Crocker and Gordon.

Goronzy, J. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Gorski, J., Tosi, R., Strubin, M., Rabourdin-Combe, C., and Mach, B. Serological and immunochemical analysis of the products of a single HLA DR-α and DR-β chain gene expressed in a mouse cell line after DNA-mediated cotransformation reveals that the β chain carries a known supertypic specificity. 105

Goselink, H. M. *See* Falkenberg, Fibbe, Goselink, Van Rood, and Jansen.

Gottlieb, P. D. *See* Goldrick, Boyd, Ponath, Lou, and Gottlieb.

Gozes, Y. *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Green, J., , and Jotte, R. Interactions between T helper cells and dendritic cells during the rat mixed lymphocyte reaction. 1546

—, *See* Jefferies, Green, and Williams.

Greene, W. C., Robb, R. J., Svetlik, P. B., Rusk, C. M., Depper, J. M., and Leonard, W. J. Stable expression of cDNA encoding the human interleukin 2 receptor in eukaryotic cells. 363

Greenstein, J. L., Malissen, B., and Burakoff, S. J. Role of L3T4 in antigen-driven activation of a class I-specific T cell hybridoma. 369

Griffin, F. M., Jr., and Mullinax, P. J. In vivo activation of macrophage C3 receptors for phagocytosis. 352

Griffin, J. A. *See* Perlmutter, Berson, Griffin, and Hood.

Griffin, J. D. *See* Herrmann, Cannistra, Levine, and Griffin.

—, *See* Picus, Holley, Aldrich, Griffin, and Letvin.

Guardiola, J. *See* Accolla, Scarpellino, Carra, and Guardiola.

Guirguis, N., Schneerson, R., Bax, A., Egan, W., Robbins, J. B., Shiloach, J., Orskov, I., Orskov, F., and Kholy, A. E. *Escherichia coli* K51 and K93 capsular polysaccharides are crossreactive with the group A capsular polysaccharide of *Neisseria meningitidis*. Immunochemical, biological, and epidemiological studies. 1837

Gurley, K. E. *See* Hall, Jelbart, Gurley, and Dorsch.

H

Hall, B. M., Jelbart, M. E., Gurley, K. E., and Dorsch, S. E. Specific unresponsiveness in rats with prolonged cardiac allograft survival after treatment with cyclosporine. Mediation of specific suppression by T helper/inducer cells. 1683

Hämmerling, G. J. *See* Blanckmeister, Yamamoto, Davis, and Hämmerling.

Handley, D. *See* Nawroth, McCarthy, Kisiel, Handley, and Stern.

Hang, L. *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Haran-Ghera, N. *See* Peled and Haran-Ghera.

Harris, P. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.

Hasty, K. A. *See* Terato, Hasty, Cremer, Stuart, Townes, and Kang.

Hayashi, C. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Hayashi, R. J. *See* Sorensen, Hayashi, and Pierce.

Hayes, K. C. *See* Leslie, Gonnerman, Ullman, Hayes, Franzblau, and Cathcart.

Hayes, S. F. *See* Hitchcock, Hayes, Mayer, Shafer, and Tessier.

Hebert, J. *See* Salari, Borgeat, Fournier, Hebert, and Pelletier.

Heeg, K. *See* Reimann, Kabelitz, Heeg, and Wagner.

Heidelberger, M., Jann, K., and Jann, B. Crossreactions of *Escherichia coli* K and O polysaccharides in antipneumococcal and anti-*Salmonella* sera. 1350

Hein, A. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Helfgott, S. M., Dynesius-Trentham, R., Brahn, E., and Trentham, D. E. An arthritogenic lymphokine in the rat. 1531

Henderson, W. R. *See* Neill, Henderson, and Klebanoff.

Hengartner, H. *See* Zinkernagel, Leist, Hengartner, and Althage.

Herrmann, F., Cannistra, S. A., Levine, H., and Griffin, J. D. Expression of interleukin 2 receptors and binding of interleukin 2 by gamma interferon–induced human leukemic and normal monocytic cells. 1111

Hershfield, M. S. *See* Kurtzberg, Bigner, and Hershfield.

Hillstrom Shapiro, L., Dugan, E. S., and Neiderhuber, J. E. Monoclonal antibody characterization of a unique immune response control locus between *H-2S* and *D*. 1477

Hitchcock, P. J., Hayes, S. F., Mayer, L. W., Shafer, W. M., and Tessier, S. L. Analyses of gonococcal H8 antigen. Surface location, inter- and intrastrain electrophoretic heterogeneity, and unusual two-dimensional electrophoretic characteristics. 2017

Hodes, R. J. *See* Asano and Hodes.

Hofmeister, B. G. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Holda, J. H. *See* Maier, Holda, and Claman.

Holley, K. *See* Picus, Holley, Aldrich, Griffin, and Letvin.

Holmes, N. *See* Clayberger, Holmes, Wang, Koller, Parham, and Krensky.

Honjo, T. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Hood, L. *See* Fisher, Hunt, and Hood.

—, *See* Perlmutter, Berson, Griffin, and Hood.

—, *See* Sun, Goodenow, and Hood.

Hoover, M. L., Marks, J., Chipman, J., Palmer, E., Stastny, P., and Capra, J. D. Restriction fragment length polymorphism of the gene encoding the α chain of the human T cell receptor. 1087

Hopkins, J. *See* Kennedy, Narayan, Ghotbi, Hopkins, Gendelman, and Clements.

Hopp, T. P. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.

Hosein, B., and Bianco, C. Monocyte receptors for fibronectin characterized by a monoclonal antibody that interferes with receptor activity. 157

Houghten, R. A. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

Hsu, M. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Huang, T. W., and Langlois, J. C. Podoendin. A new cell surface protein of the podocyte and endothelium. 245

Hunt, S. W., III. *See* Fisher, Hunt, and Hood.

Hussey, R. E. *See* Acuto, Hussey, and Reinherz.

Hutchinson, I. V., Barber, W. H., and Morris, P. J. Specific suppression of allograft rejection by trinitrophenyl (TNP)-induced suppressor cells in recipients treated with TNP-haptenated donor alloantigens. 1409

I

Ikuta, K. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Ildstad, S. T., Wren, S. M., Bluestone, J. A., Barbieri, S. A., and Sachs, D. H. Characterization of mixed allogeneic chimeras. Immunocompetence, in vitro reactivity, and genetic specificity of tolerance. 231

J

Jabara, H. H. *See* Umetsu, Leung, Siraganian, Jabara, and Geha.

Jackson, R. A. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Jacob, S. T. *See* Stetler, Sipes, and Jacob.

Jacobson, S., Flerlage, M. L., and McFarland, H. F. Impaired measles virus–specific cytotoxic T cell responses in multiple sclerosis. 839

Jaffe, E. A. *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Jalkanen, S. T. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Janeway, C. A., Jr. *See* Dzierzak, Brodeur, Marion, Janeway, and Bothwell.

Jann, B. *See* Heidelberger, Jann, and Jann.

Jann, K. *See* Heidelberger, Jann, and Jann.

Jansen, J. *See* Falkenberg, Fibbe, Goselink, Van Rood, and Jansen.

Jefferies, W. A., Green, J. R., and Williams, A. F. Authentic T helper CD4 (W3/25) antigen on rat peritoneal macrophages. 117

Jelbart, M. E. *See* Hall, Jelbart, Gurley, and Dorsch.

Johnson, P. W., Baubock, C., and Roder, J. C. Transfection of a rat cell line with the *v-Ki-ras* oncogene is associated with enhanced susceptibility to natural killer cell lysis. 1732

Johnson, R. *See* Pious, Dixon, Levine, Cotner, and Johnson.

Joiner, K. A., Fries, L. F., Schmetz, M. A., and Frank, M. M. IgG bearing covalently bound C3b has enhanced bactericidal activity for *Escherichia coli* 0111. 877

Jotte, R. *See* Green and Jotte.

Jurgensen, C. H. *See* Ambrus, Jurgensen, Brown, and Fauci.

K

Kabelitz, D. *See* Reimann, Kabelitz, Heeg, and Wagner.

Kanayama, Y. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Kang, A. H. *See* Terato, Hasty, Cremer, Stuart, Townes, and Kang.

Kano, S. *See* Minato, Amagai, Yodoi, Diamanstein, and Kano.

Kaplan, A. M. *See* Nagarkatti, Nagarkatti, and Kaplan.

Kaplan, G., Weinstein, D. E., Steinman, R. M., Levis, W. R., Elvers, U., Patarroyo, M. E., and Cohn, Z. A. An analysis of in vitro T cell responsiveness in lepromatous leprosy. 917

Kappas, A. *See* Manabe, Sassa, and Kappas.

—, *See* Sassa, Drummond, Bernstein, and Kappas.

Karre, K. *See* Ljunggren and Karre.

Kashihara, M. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Kawamura, H., Rosenberg, S. A., and Berzofsky, J. A. Immunization with antigen and interleukin 2 in vivo overcomes *Ir* gene low responsiveness. 381

Keegan, A. D. *See* Siliciano, Colello, Keegan, Dintzis, Dintzis, and Shin.

Keithly, J. *See* Colomer-Gould, Galvao Quintao, Keithly, and Nogueira.

Kelley, V. E. *See* Kirkman, Barrett, Gaulton, Kelley, Ythier, and Strom.

Kelly, C. J., Silvers, W. K., and Neilson, E. G. Tolerance to parenchymal self. Regulatory role of major histocompatibility complex–restricted $OX8^+$ suppressor T cells specific for autologous renal tubular antigen in experimental interstitial nephritis. 1892

Kemp, D. J. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Kennedy, P. G. E., Narayan, O., Ghotbi, Z., Hopkins, J., Gendelman, H. E., and Clements, J. E. Persistent expression of Ia antigen and viral genome in Visna-Maedi virus–induced inflammatory cells. Possible role of lentivirus-induced interferon. 1970

Kerwar, S. S. *See* Taurog, Kerwar, McReynolds, Sandberg, Leary, and Mahowald.

Kholy, A. E. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Kim, J., Woods, A., Becker-Dunn, E., and Bottomly, K. Distinct functional phenotypes of cloned Ia-restricted helper T cells. 188

Kinoshita, T., Medof, M. E., Silber, R., and Nussenzweig, V. Distribution of decay-accelerating factor in the peripheral blood of normal individuals and patients with paroxysmal nocturnal hemoglobinuria. 75

Kipps, T. J. *See* Lanier, Kipps, and Phillips.

Kirkman, R. L., Barrett, L. V., Gaulton, G. N., Kelley, V. E., Ythier, A., and Strom, T. B. Administration of an anti–interleukin 2 receptor monoclonal antibody prolongs cardiac allograft survival in mice. 358

Kisiel, W. *See* Nawroth, McCarthy, Kisiel, Handley, and Stern.

—, *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Kitamura, Y. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Klaus, G. G. B. *See* Bijsterbosch and Klaus.
Klebanoff, S. J. *See* Neill, Henderson, and Klebanoff.
Klinman, N. R. *See* Froscher and Klinman.
Knobler, R. L. *See* Zamvil, Nelson, Mitchell, Knobler, Fritz, and Steinman.
Knowles, D. M, II. *See* Pelicci, Knowles, and Dalla Favera.
—, *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.
Kobayashi, M. *See* Degliantoni, Murphy, Kobayashi, Francis, Perussia, and Trinchieri.
Kofler, R., Perlmutter, R. M., Noonan, D. J., Dixon, F. J., and Theofilopoulos, A. N. Ig heavy chain variable region gene complex of lupus mice exhibits normal restriction fragment length polymorphism. 346
Koller, T. D. *See* Clayberger, Holmes, Wang, Koller, Parham, and Krensky.
Kornbluth, J. *See* Spear, Kornbluth, Strominger, and Wilson.
Krammer, P. H. *See* Vitetta, Ohara, Myers, Layton, Krammer, and Paul.
Krensky, A. M. *See* Clayberger, Holmes, Wang, Koller, Parham, and Krensky.
—, *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.
Kronheim, S. R. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.
Krzych, U., Fowler, A. V., and Sercarz, E. E. Repertoires of T cells directed against a large protein antigen, β-galactosidase. II. Only certain T helper or T suppressor cells are relevant in particular regulatory interactions. 311
Kurtzberg, J., Bigner, S. H., and Hershfield, M. S. Establishment of the DU.528 human lymphohemopoietic stem cell line. 1561

L

Lahaye, T. *See* van der Hoorn, Lahaye, Müller, Ogle, and Engers.
Lamont, G. S. *See* Duszenko, Ferguson, Lamont, Rifkin, and Cross.
Lamoyi, E., and Mage, R. G. Lack of K1b9 light chains in Basilea rabbits is probably due to a mutation in an acceptor site for mRNA splicing. 1149
Langlois, J. C. *See* Huang and Langlois.
Lanier, L. L., Kipps, T. J., and Phillips, J. H. Functional properties of a unique subset of cytotoxic $CD3^+$ T lymphocytes that express Fc receptors for IgG (CD16/Leu-11 antigen). 2089
Layton, J. E. *See* Vitetta, Ohara, Myers, Layton, Krammer, and Paul.
Leary, S. L. *See* Taurog, Kerwar, McReynolds, Sandberg, Leary, and Mahowald.
Lees, S. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.
Lefrancois, L., Puddington, L., Machamer, C. E., and Bevan, M. J. Acquisition of cytotoxic T lymphocyte–specific carbohydrate differentiation antigens. 1275
Leist, T. *See* Zinkernagel, Leist, Hengartner, and Althage.
Leonard, W. J. *See* Greene, Robb, Svetlik, Rusk, Depper, and Leonard.
Leslie, C. A., Gonnerman, W. A., Ullman, M. D., Hayes, K. C., Franzblau, C., and Cathcart, E. S. Dietary fish oil modulates macrophage fatty acids and decreases arthritis susceptibility in mice. 1336
Letvin, N. L. *See* Picus, Holley, Aldrich, Griffin, and Letvin.
Leung, D. Y. M. *See* Umetsu, Leung, Siraganian, Jabara, and Geha.
Levine, F. *See* Pious, Dixon, Levine, Cotner, and Johnson.
Levine, H. *See* Herrmann, Cannistra, Levine, and Griffin.
Levis, W. R. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.
Levy, R. *See* Thielemans, Rothbard, Levy, and Levy.
Levy, S. *See* Thielemans, Rothbard, Levy, and Levy.
Liew, F. Y. *See* Chan, Lukig, and Liew.
Limjuco, G. *See* Cameron, Limjuco, Rodkey, Bennett, and Schmidt.
Ljunggren, H.-G., and Karre, K. Host resistance directed selectively against H-2-deficient lymphoma variants. Analysis of the mechanism. 1745
Long, M. W., and Shapiro, D. N. Immune regulation of in vitro murine megakaryocyte development. Role of T lymphocytes and Ia antigen expression. 2053
Longo, D. L. *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.
Lopez-Botet, M. *See* Moretta, Pantaleo, Lopez-Botet, Mingari, and Moretta.
—, *See* Moretta, Pantaleo, Lopez-Botet, and Moretta.
Lou, S.-Y. *See* Goldrick, Boyd, Ponath, Lou, and Gottlieb.
Lu, L. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.
Lukacher, A. E., Morrison, L. A., Braciale, V. L., Malissen, B., and Braciale, T. J. Expression of specific cytolytic activity by H-2I region–restricted, influenza virus–specific T lymphocyte clones. 171
Lukig, M. L. *See* Chan, Lukig, and Liew.

M

MacDermott, R. P., Schmidt, R. E., Caulfield, J. P., Hein, A., Bartley, G. T., Ritz, J., Schlossman, S. F., Austen, K. F., and Stevens, R. L. Proteoglycans in cell-mediated cytotoxicity. Identification, localization, and exocytosis of a chondroitin sulfate proteoglycan from human cloned natural killer cells during target cell lysis. 1771
MacDonald, H. R. *See* Erard, Nabholz, Dupuy-D'Angeac, and MacDonald.

Mach, B. *See* Gorski, Tosi, Strubin, Rabourdin-Combe, and Mach.

Machamer, C. E. *See* Lefrancois, Puddington, Machamer, and Bevan.

Macher, B. A. *See* Galili, Macher, Buehler, and Shohet.

Maeda, M., Shimizu, A., Ikuta, K., Okamoto, H., Kashihara, M., Uchiyama, T., Honjo, T., and Yodoi, J. Origin of human T-lymphotrophic virus I–positive T cell lines in adult T cell leukemia. Analysis of T cell receptor gene rearrangement. 2169

Mage, R. G. *See* Lamoyi and Mage.

Mahowald, M. L. *See* Taurog, Kerwar, McReynolds, Sandberg, Leary, and Mahowald.

Maier, T., Holda, J. H., and Claman, H. N. Synergism between T and non-T cells in the in vivo induction and in vitro expression of graft-vs.-host disease–induced natural suppressor cells. 979

Maizel, A. *See* Ford, Yoshimura, Morgan, Quesada, Montagna, and Maizel.

Malek, T. R. *See* Mizuochi, Golding, Rosenberg, Glimcher, Malek, and Singer.

Malissen, B. *See* Greenstein, Malissen, and Burakoff.

—, *See* Lukacher, Morrison, Braciale, Malissen, and Braciale.

Manabe, S., Sassa, S., and Kappas, A. Hereditary tyrosinemia. Formation of succinylacetone–amino acid adducts. 1060

Mann, K. P. *See* Thorley-Lawson and Mann.

Mann, R. *See* Neilson, McCafferty, Mann, Michaud, and Clayman.

Mannik, M. *See* Nardella, Teller, Barber, and Mannik.

Mantovani, A. *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

March, C. J. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.

Marion, T. *See* Dzierzak, Brodeur, Marion, Janeway, and Bothwell.

Marks, J. *See* Hoover, Marks, Chipman, Palmer, Stastny, and Capra.

Marks, R., and Bosma, M. J. Truncated μ (μ') chains in murine IgM. Evidence that μ' chains lack variable regions. 1862

Mathieson, B. J. *See* Fowlkes, Edison, Mathieson, and Chused.

Matthai, R. *See* Ruscetti, Matthai, and Potter.

Mayer, L. W. *See* Hitchcock, Hayes, Mayer, Shafer, and Tessier.

McCafferty, E. *See* Neilson, McCafferty, Mann, Michaud, and Clayman.

McCarthy, D. *See* Nawroth, McCarthy, Kisiel, Handley, and Stern.

McCulloch, E. A. *See* Nara and McCulloch.

McFarland, H. F. *See* Jacobson, Flerlage, and McFarland.

McKean, D. J. *See* Allen, McKean, Beck, Sheffield, and Glimcher.

McKearn, J. P. *See* Baum, McKearn, Riblet, and Davie.

McReynolds, R. A. *See* Taurog, Kerwar, McReynolds, Sandberg, Leary, and Mahowald.

Medof, M. E. *See* Kinoshita, Medof, Silber, and Nussenzweig.

Mekori, Y. A., Weitzman, G. L., and Galli, S. J. Reevaluation of reserpine-induced suppression of contact sensitivity. Evidence that reserpine interferes with T lymphocyte function independently of an effect on mast cells. 1935

Mertelsmann, R. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.

Mescher, M. F. *See* Goldstein and Mescher.

Metzger, D. W. The nature of antiidiotypic molecules induced by antiallotype. Presence of both latent allotype and allotypic internal images. 35

Meuwissen, J. H. E. T. *See* Vermeulen, Ponnudurai, Beckers, Verhave, Smits, and Meuwissen.

Meyer, B. C. *See* Wright and Meyer.

Michaud, L. *See* Neilson, McCafferty, Mann, Michaud, and Clayman.

Milford, E. M. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Miller, A. *See* Shastri, Oki, Miller, and Sercarz.

Minato, N., Amagai, T., Yodoi, J., Diamanstein, T., and Kano, S. Regulation of the growth and functions of cloned murine large granular lymphocyte lines by resident macrophages. 1161

Mingari, M. C. *See* Moretta, Pantaleo, Lopez-Botet, Mingari, and Moretta.

Mitchell, D. J. *See* Zamvil, Nelson, Mitchell, Knobler, Fritz, and Steinman.

Mitsuya, H. *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.

Mizel, S. B. *See* Ramadori, Sipe, Dinarello, Mizel, and Colten.

Mizoguchi, H. *See* Oshimi, Oshimi, Satake, and Mizoguchi.

Mizuochi, T., Golding, H., Rosenberg, A. S., Glimcher, L. H., Malek, T. R., and Singer, A. Both L3T4$^+$ and Lyt-2$^+$ helper T cells initiate cytotoxic T lymphocyte responses against allogeneic major histocompatibility antigens but not against trinitrophenyl-modified self. 427

Mongini, P. K. A. *See* Rudich, Winchester, and Mongini.

Montagna, R. *See* Ford, Yoshimura, Morgan, Quesada, Montagna, and Maizel.

Moore, J. G., Frank, M. M., Müller-Eberhard, H. J., and Young, N. S. Decay-accelerating factor is present on paroxysmal nocturnal hemoglobinuria erythroid progenitors and lost during erythropoiesis in vitro. 1182

Moore, M. A. S. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.

Moretta, A., Pantaleo, G., Lopez-Botet, M., and Moretta, L. Involvement of T44 molecules in an antigen-independent pathway of T cell activation. Analysis of the correlations to the T cell antigen-receptor complex. 823

—, Pantaleo, G., Lopez-Botet, M., Mingari, M. C., and Moretta, L. Anticlonotypic monoclonal antibodies induce proliferation of clonotype-positive

T cells in peripheral blood human T lymphocytes. Evidence for a phenotypic (T4/T8) heterogeneity of the clonotype-positive proliferating cells. 1393

Moretta, L. *See* Moretta, Pantaleo, Lopez-Botet, Mingari, and Moretta.

—, *See* Moretta, Pantaleo, Lopez-Botet, and Moretta.

Morgan, J. *See* Ford, Yoshimura, Morgan, Quesada, Montagna, and Maizel.

Morris, P. J. *See* Hutchinson, Barber, and Morris.

Morrison, L. A. *See* Lukacher, Morrison, Braciale, Malissen, and Braciale.

Morrow, P. R. *See* Theofilopoulos, Balderas, Gozes, Aguado, Hang, Morrow, and Dixon.

Mullen, C. A., Urban, J. L., Van Waes, C., Rowley, D. A., and Schreiber, H. Multiple cancers. Tumor burden permits the outgrowth of other cancers. 1665

Müller, V. *See* van der Hoorn, Lahaye, Müller, Ogle, and Engers.

Müller-Eberhard, H. J. *See* Moore, Frank, Müller-Eberhard, and Young.

Mullinax, P. J. *See* Griffin and Mullinax.

Munitz, T. I. *See* Golding, Munitz, and Singer.

Murphy, M. *See* Degliantoni, Murphy, Kobayashi, Francis, Perussia, and Trinchieri.

Myers, C. D. *See* Vitetta, Ohara, Myers, Layton, Krammer, and Paul.

N

Nabholz, M. *See* Erard, Nabholz, Dupuy-D'Angeac, and MacDonald.

Nagao, S., and Tanaka, A. Necrotic inflammatory reaction induced by muramyl dipeptide in guinea pigs sensitized by tubercle bacilli. 401

Nagarkatti, M. *See* Nagarkatti, Nagarkatti, and Kaplan.

Nagarkatti, P. S., Nagarkatti, M., and Kaplan, A. M. Normal Lyt-1$^+$,2$^-$ T cells have the unique capacity to respond to syngeneic autoreactive T cells. Demonstration of a T cell network. 375

Nakano, T., Sonoda, T., Hayashi, C., Yamatodani, A., Kanayama, Y., Yamamura, T., Asai, H., Yonezawa, T., Kitamura, Y., and Galli, S. J. Fate of bone marrow–derived cultured mast cells after intracutaneous, intraperitoneal, and intravenous transfer into genetically mast cell–deficient *W/W^v* mice. Evidence that cultured mast cells can give rise to both connective tissue type and mucosal mast cells. 1025

Nara, N., , and McCulloch, E. A. Membranes replace irradiated blast cells as growth requirement for leukemic blast progenitors in suspension culture. 1435

Narayan, O., Sheffer, D., Clements, J. E., and Tennekoon, G. Restricted replication of lentiviruses. Visna viruses induce a unique interferon during interaction between lymphocytes and infected macrophages. 1954

—, *See* Kennedy, Narayan, Ghotbi, Hopkins, Gendelman, and Clements.

Nardella, F. A., Teller, D. C., Barber, C. V., and Mannik, M. IgG rheumatoid factors and staphylococcal protein A bind to a common molecular site on IgG. 1811

Navarro, R. F., Jalkanen, S. T., Hsu, M., Søenderstrup-Hansen, G., Goronzy, J., Weyand, C., Fathman, C. G., Clayberger, C., Krensky, A. M., and Butcher, E. C. Human T cell clones express functional homing receptors required for normal lymphocyte trafficking. 1075

Nawroth, P. P., McCarthy, D., Kisiel, W., Handley, D., and Stern, D. M. Cellular processing of bovine factors X and X_a by cultured bovine aortic endothelial cells. 559

—, *See* Stern, Bank, Nawroth, Cassimeris, Kisiel, Fenton, Dinarello, Chess, and Jaffe.

Neiderhuber, J. E. *See* Hillstrom Shapiro, Dugan, and Neiderhuber.

Neill, M. A., Henderson, W. R., and Klebanoff, S. J. Oxidative degradation of leukotriene C_4 by human monocytes and monocyte-derived macrophages. 1634

Neilson, E. G., McCafferty, E., Mann, R., Michaud, L., and Clayman, M. Tubular antigen–derivatized cells induce a disease-protective, antigen-specific, and idiotype-specific suppressor T cell network restricted by I-J and Igh-V in mice with experimental interstitial nephritis. 215

—, *See* Kelly, Silvers, and Neilson.

Nelson, P. A. *See* Zamvil, Nelson, Mitchell, Knobler, Fritz, and Steinman.

Nogueira, N. *See* Colomer-Gould, Galvao Quintao, Keithly, and Nogueira.

Noonan, D. J. *See* Kofler, Perlmutter, Noonan, Dixon, and Theofilopoulos.

Nowell, J., and Quaranta, V. Chloroquine affects biosynthesis of Ia molecules by inhibiting dissociation of invariant (γ) chains from α-β dimers in B cells. 1371

Nussenzweig, V. *See* Kinoshita, Medof, Silber, and Nussenzweig.

O

Obata, Y. *See* Chen, Obata, Stockert, and Old.

Ogle, M. A. *See* van der Hoorn, Lahaye, Müller, Ogle, and Engers.

Ohara, J. *See* Vitetta, Ohara, Myers, Layton, Krammer, and Paul.

Okamoto, H. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Oki, A. *See* Shastri, Oki, Miller, and Sercarz.

Old, L. J. *See* Chen, Obata, Stockert, and Old.

—, *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.

—, *See* Rubin, Anderson, Sullivan, Williamson, Carswell, and Old.

Orskov, F. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Orskov, I. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Oshimi, K., Oshimi, Y., Satake, M., and Mizoguchi, H. Natural killer–mediated lysis of normal and malignant target cells, and its regulation by monocytes. 472

Oshimi, Y. *See* Oshimi, Oshimi, Satake, and Mizoguchi.

O'Toole, M. M., Bosma, G. C., and Bosma, M. J. Expression of murine *Lm-1* locus. Lm-1 determinants on lymphocytes and macrophages, and effects of Lm-1 incompatibility on bone marrow grafts. 607

P

Palmer, E. *See* Hoover, Marks, Chipman, Palmer, Stastny, and Capra.

Pantaleo, G. *See* Moretta, Pantaleo, Lopez-Botet, Mingari, and Moretta.

—, *See* Moretta, Pantaleo, Lopez-Botet, and Moretta.

Parham, P. *See* Clayberger, Holmes, Wang, Koller, Parham, and Krensky.

Parker, D. C. *See* Tony, Phillips, and Parker.

Parnassa, A. P. *See* Elkon, Parnassa, and Foster.

Patarroyo, M. E. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.

Paul, W. E. *See* Vitetta, Ohara, Myers, Layton, Krammer, and Paul.

Peled, A., and Haran-Ghera, N. High incidence of B cell lymphomas derived from thymectomized AKR mice expressing TL.4 antigen. 1081

Pelicci, P.-G., Knowles, D. M, II., and Dalla Favera, R. Lymphoid tumors displaying rearrangements of both immunoglobulin and T cell receptor genes. 1015

—, *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Pelletier, G. *See* Salari, Borgeat, Fournier, Hebert, and Pelletier.

Perlmutter, R. M., Berson, B., Griffin, J. A., and Hood, L. Diversity in the germline antibody repertoire. Molecular evolution of the T 15 V_h gene family. 1998

—, *See* Kofler, Perlmutter, Noonan, Dixon, and Theofilopoulos.

Perussia, B. *See* Degliantoni, Murphy, Kobayashi, Francis, Perussia, and Trinchieri.

Philip, R. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Phillips, J. H. *See* Lanier, Kipps, and Phillips.

Phillips, N. E. *See* Tony, Phillips, and Parker.

Picus, J., Holley, K., Aldrich, W. R., Griffin, J. D., and Letvin, N. L. A naturally occurring bone marrow–chimeric primate. II. Environment dictates restriction on cytotoxic T lymphocyte–target cell interaction. 2035

Pierce, C. W. *See* Sorensen, Hayashi, and Pierce.

Pillemer, E. *See* Tidmarsh, Dailey, Whitlock, Pillemer, and Weissman.

Pious, D., Dixon, L., Levine, F., Cotner, T., and Johnson, R. HLA class II regulation and structure. Analysis with HLA-DR3 and HLA-DP point mutants. 1193

Platzer, E., Welte, K., Gabrilove, J. L., Lu, L., Harris, P., Mertelsmann, R., and Moore, M. A. S. Biological activities of a human pluripotent hemopoietic colony–stimulating factor on normal and leukemic cells. 1788

Ponath, P. D. *See* Goldrick, Boyd, Ponath, Lou, and Gottlieb.

Ponnudurai, T. *See* Vermeulen, Ponnudurai, Beckers, Verhave, Smits, and Meuwissen.

Potter, M. *See* Ruscetti, Matthai, and Potter.

Puddington, L. *See* Lefrancois, Puddington, Machamer, and Bevan.

Q

Quaranta, V. *See* Nowell and Quaranta.

Quesada, J. *See* Ford, Yoshimura, Morgan, Quesada, Montagna, and Maizel.

R

Rabinowitz, R., Bluestone, J. A., and Sachs, D. H. Evidence for a regulatory idiotypic network in the in vivo response to H-2 antigens. 745

Rabourdin-Combe, C. *See* Gorski, Tosi, Strubin, Rabourdin-Combe, and Mach.

Rajewsky, K. *See* Saito and Rajewsky.

Ramadori, G., Sipe, J. D., Dinarello, C. A., Mizel, S. B., and Colten, H. R. Pretranslational modulation of acute phase hepatic protein synthesis by murine recombinant interleukin 1 (IL-1) and purified IL-1. 930

Rambaldi, A., Pelicci, P.-G., Allavena, P., Knowles, D. M.,II, Rossini, S., Bassan, R., Barbui, T., Dalla-Favera, R., and Mantovani, A. T cell receptor β chain gene rearrangements in lymphoproliferative disorders of large granular lymphocytes/natural killer cells. 2156

Ranges, G. E., Sriram, S., and Cooper, S. M. Prevention of type II collagen–induced arthritis by in vivo treatment with anti-L3T4. 1105

Reimann, J., Kabelitz, D., Heeg, K., and Wagner, H. Allorestricted cytotoxic T cells. Large numbers of allo-H-2-K^b-restricted antihapten and antiviral cytotoxic T cell populations clonally develop in vitro from murine splenic precursor T cells. 592

Reinherz, E. L. *See* Acuto, Hussey, and Reinherz.

—, *See* Barker, Royer, Ruddle, and Reinherz.

Reitz, M. S., Jr. *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.

Remold-O'Donnell, E. A fast-acting elastase inhibitor in human monocytes. 2142

Rettig, W. J., Dracopoli, N. C., Chesa, P. G., Spengler, B. A., Beresford, H. R., Davies, P., Biedler, J. L., and Old, L. J. Role of human chromosome 11 in determining surface antigenic phenotype of normal and malignant cells. Somatic cell genetic

analysis of eight antigens, including putative human Thy-1. 1603

Riblet, R. *See* Baum, McKearn, Riblet, and Davie.

Rifai-Haddad, R. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Rifkin, M. R. *See* Duszenko, Ferguson, Lamont, Rifkin, and Cross.

Ritz, J. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Robb, R. J. *See* Greene, Robb, Svetlik, Rusk, Depper, and Leonard.

Robbins, J. B. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Robbins, K. *See* Swanson, Bergström, Barrera, Robbins, and Corwin.

Roberts, M. B. *See* Blackwell, Ezekowitz, Roberts, Channon, Sim, and Gordon.

Roder, J. C. *See* Johnson, Baubock, and Roder.

Rodkey, J. *See* Cameron, Limjuco, Rodkey, Bennett, and Schmidt.

Rosenberg, A. S. *See* Mizuochi, Golding, Rosenberg, Glimcher, Malek, and Singer.

Rosenberg, S. A. *See* Kawamura, Rosenberg, and Berzofsky.

Rossini, S. *See* Rambaldi, Pelicci, Allavena, Knowles, Rossini, Bassan, Barbui, Dalla-Favera, and Mantovani.

Rothbard, J. B. *See* Thielemans, Rothbard, Levy, and Levy.

Rowley, D. A. *See* Mullen, Urban, Van Waes, Rowley, and Schreiber.

—, *See* Shah, Gilbertson, and Rowley.

Royer, H.-D. *See* Barker, Royer, Ruddle, and Reinherz.

Rubin, B. Y., Anderson, S. L., Sullivan, S. A., Williamson, B. D., Carswell, E. A., and Old, L. J. High affinity binding of ^{125}I-labeled human tumor necrosis factor (LuKII) to specific cell surface receptors. 1099

Ruddle, F. H. *See* Barker, Royer, Ruddle, and Reinherz.

Rudich, S. M., Winchester, R., and Mongini, P. K. A. Human B cell activation. Evidence for diverse signals provided by various monoclonal anti-IgM antibodies. 1236

Ruscetti, S., Matthai, R., and Potter, M. Susceptibility of BALB/c mice carrying various DBA/2 genes to development of Friend murine leukemia virus–induced erythroleukemia. 1579

Rusk, C. M. *See* Greene, Robb, Svetlik, Rusk, Depper, and Leonard.

Russell, P. S. *See* Skoskiewicz, Colvin, Schneeberger, and Russell.

S

Sachs, D. H. *See* Ildstad, Wren, Bluestone, Barbieri, and Sachs.

—, *See* Rabinowitz, Bluestone, and Sachs.

Saint, R. B. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Saito, T., and Rajewsky, K. Helper T cells reacting to idiotype on IgG but not IgM. 1399

Saklatvala, J., Sarsfield, S. J., and Townsend. Y. Pig interleukin 1. Purification of two immunologically different leukocyte proteins that cause cartilage resorption, lymphocyte activation, and fever. 1208

Salari, H., Borgeat, P., Fournier, M., Hebert, J., and Pelletier, G. Studies on the release of leukotrienes and histamine by human lung parenchymal and bronchial fragments upon immunologic and nonimmunologic stimulation. Effects of nordihydroguaiaretic acid, aspirin, and sodium cromoglycate. 1904

Sandberg, G. P. *See* Taurog, Kerwar, McReynolds, Sandberg, Leary, and Mahowald.

Sanderson, C. J., Warren, D. J., and Strath, M. Identification of a lymphokine that stimulates eosinophil differentiation in vitro. Its relationship to interleukin 3, and functional properties of eosinophils produced in cultures. 60

Sant, A. J., Cullen, S. E., Giacoletto, K. S., and Schwartz, B. D. Invariant chain is the core protein of the Ia-associated chondroitin sulfate proteoglycan. 1916

Sarsfield, S. J. *See* Saklatvala, Sarsfield, and Townsend. Y..

Sassa, S., Drummond, G. S., Bernstein, S. E., and Kappas, A. Long-term administration of massive doses of Sn-protoporphyrin in anemic mutant mice *sph*^{ha}/*sph*^{ha}. 864

—, *See* Manabe, Sassa, and Kappas.

Satake, M. *See* Oshimi, Oshimi, Satake, and Mizoguchi.

Scarpellino, L. *See* Accolla, Scarpellino, Carra, and Guardiola.

Schaefer, M. *See* Sprent and Schaefer.

Schlossman, S. F. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Schmetz, M. A. *See* Joiner, Fries, Schmetz, and Frank.

Schmidt, J. A. *See* Cameron, Limjuco, Rodkey, Bennett, and Schmidt.

Schmidt, R. E. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Schneeberger, E. E. *See* Skoskiewicz, Colvin, Schneeberger, and Russell.

Schneerson, R. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Schreiber, H. *See* Mullen, Urban, Van Waes, Rowley, and Schreiber.

Schwadron, R. B., Gandour, D. M., and Strober, S. Cloned natural suppressor cell lines derived from the spleens of neonatal mice. 297

Schwartz, B. D. *See* Sant, Cullen, Giacoletto, and Schwartz.

Segal, D. *See* Bluestone, Foo, Allen, Segal, and Flavell.

Seidman, J. G. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Sercarz, E. E. *See* Krzych, Fowler, and Sercarz.

—, *See* Shastri, Oki, Miller, and Sercarz.

Shafer, W. M. *See* Hitchcock, Hayes, Mayer, Shafer, and Tessier.

Shah, P. D., Gilbertson, S. M., and Rowley, D. A. Dendritic cells that have interacted with antigen are targets for natural killer cells. 625

Shapiro, D. N. *See* Long and Shapiro.

Shastri, N., Oki, A., Miller, A., and Sercarz, E. E. Distinct recognition phenotypes exist for T cell clones specific for small peptide regions of proteins. Implications for the mechanisms underlying major histocompatibility complex–restricted antigen recognition and clonal deletion models of immune response gene defects. 332

Sheffer, D. *See* Narayan, Sheffer, Clements, and Tennekoon.

Sheffield, J. *See* Allen, McKean, Beck, Sheffield, and Glimcher.

Shen, F.-W. *See* Chorney, Tung, Bushkin, and Shen.

Shiloach, J. *See* Guirguis, Schneerson, Bax, Egan, Robbins, Shiloach, Orskov, Orskov, and Kholy.

Shimizu, A. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Shin, H. S. *See* Siliciano, Colello, Keegan, Dintzis, Dintzis, and Shin.

Shin, H.-S. *See* Artzt, Shin, Bennett, and Dimeo-Talento.

Shohet, S. B. *See* Galili, Macher, Buehler, and Shohet.

Silber, R. *See* Kinoshita, Medof, Silber, and Nussenzweig.

Siliciano, R. F., Colello, R. M., Keegan, A. D., Dintzis, R. Z., Dintzis, H. M., and Shin, H. S. Antigen valence determines the binding of nominal antigen to cytolytic T cell clones. 768

Silvers, W. K. *See* Kelly, Silvers, and Neilson.

Sim, R. B. *See* Blackwell, Ezekowitz, Roberts, Channon, Sim, and Gordon.

Singer, A. *See* Golding, Munitz, and Singer.

—, *See* Mizuochi, Golding, Rosenberg, Glimcher, Malek, and Singer.

Sipe, J. D. *See* Ramadori, Sipe, Dinarello, Mizel, and Colten.

Sipes, D. E. *See* Stetler, Sipes, and Jacob.

Siraganian, R. *See* Umetsu, Leung, Siraganian, Jabara, and Geha.

Siskind, G. W. *See* Coico, Xue, Wallace, Siskind, and Thorbecke.

Skoskiewicz, M. J., Colvin, R. B., Schneeberger, E. E., and Russell, P. S. Widespread and selective induction of major histocompatibility complex–determined antigens by γ interferon. 1645

Smith, S. A. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Smits, M. A. *See* Vermeulen, Ponnudurai, Beckers, Verhave, Smits, and Meuwissen.

Sønderstrup-Hansen, G. *See* Navarro, Jalkanen, Hsu, Sønderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Sonoda, T. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Sorensen, C. M., Hayashi, R. J., and Pierce, C. W. Identification of Igh-C-linked determinants on suppressor T cell hybrids and factors specific for L-glutamic $acid_{60}$-L-$alanine_{30}$-L-$tyrosine_{10}$ (GAT). 1044

Spear, B. T., Kornbluth, J., Strominger, J. L., and Wilson, D. B. Evidence for a shared HLA-A intralocus determinant defined by monoclonal antibody 131. 1802

Spengler, B. A. *See* Rettig, Dracopoli, Chesa, Spengler, Beresford, Davies, Biedler, and Old.

Sprent, J., and Schaefer, M. Properties of purified T cell subsets. I. In vitro responses to class I vs. class II H-2 alloantigens. 2068

Sriram, S. *See* Ranges, Sriram, and Cooper.

Stahl, H.-D. *See* Brown, Culvenor, Crewther, Bianco, Coppel, Saint, Stahl, Kemp, and Anders.

Stastny, P. *See* Hoover, Marks, Chipman, Palmer, Stastny, and Capra.

Steinman, L. *See* Zamvil, Nelson, Mitchell, Knobler, Fritz, and Steinman.

Steinman, R. M. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.

Stern, D. M., Bank, I., Nawroth, P. P., Cassimeris, J., Kisiel, W., Fenton, J. W., III, Dinarello, C., Chess, L., and Jaffe, E. A. Self-regulation of procoagulant events on the endothelial cell surface. 1223

—, *See* Nawroth, McCarthy, Kisiel, Handley, and Stern.

Stetler, D. A., Sipes, D. E., and Jacob, S. T. Anti–RNA polymerase I antibodies in sera of MRL *lpr/lpr* and MRL +/+ autoimmune mice. Correlation of antibody production with delayed onset of lupus-like disease in MRL +/+ mice. 1760

Stevens, R. L. *See* MacDermott, Schmidt, Caulfield, Hein, Bartley, Ritz, Schlossman, Austen, and Stevens.

Stockert, E. *See* Chen, Obata, Stockert, and Old.

Strath, M. *See* Sanderson, Warren, and Strath.

Strober, S. *See* Schwadron, Gandour, and Strober.

Strom, T. B. *See* Kirkman, Barrett, Gaulton, Kelley, Ythier, and Strom.

Strominger, J. L. *See* Spear, Kornbluth, Strominger, and Wilson.

Strubin, M. *See* Gorski, Tosi, Strubin, Rabourdin-Combe, and Mach.

Stuart, J. M. *See* Terato, Hasty, Cremer, Stuart, Townes, and Kang.

Sullivan, S. A. *See* Rubin, Anderson, Sullivan, Williamson, Carswell, and Old.

Sun, Y. H., Goodenow, R. S., and Hood, L. Molecular basis of the dm1 mutation in the major histocompatibility complex of the mouse: a D/L hybrid gene. 1588

Svetlik, P. B. *See* Greene, Robb, Svetlik, Rusk, Depper, and Leonard.

Swanson, J., Bergström, S., Barrera, O., Robbins, K., and Corwin, D. Pilus⁻ gonococcal variants.

Evidence for multiple forms of piliation control. 729

T

Tanaka, A. *See* Nagao and Tanaka.

Taniguchi, H. *See* Buse, Rifai-Haddad, Lees, Taniguchi, Chaplin, Milford, Seidman, Eisenbarth, and Jackson.

Taurog, J. D., Kerwar, S. S., McReynolds, R. A., Sandberg, G. P., Leary, S. L., and Mahowald, M. L. Synergy between adjuvant arthritis and collagen-induced arthritis in rats. 962

Teller, D. C. *See* Nardella, Teller, Barber, and Mannik.

Tennekoon, G. *See* Narayan, Sheffer, Clements, and Tennekoon.

Terato, K., Hasty, K. A., Cremer, M. A., Stuart, J. M., Townes, A. S., and Kang, A. H. Collagen-induced arthritis in mice. Localization of an arthritogenic determinant to a fragment of the type II collagen molecule. 637

Tessier, S. L. *See* Hitchcock, Hayes, Mayer, Shafer, and Tessier.

Theofilopoulos, A. N., Balderas, R. S., Gozes, Y., Aguado, M. T., Hang, L., Morrow, P. R., and Dixon, F. J. Association of *lpr* gene with graft-vs.-host disease–like syndrome. 1

—, *See* Kofler, Perlmutter, Noonan, Dixon, and Theofilopoulos.

Thielemans, K., Rothbard, J. B., Levy, S., and Levy, R. Syngeneic antiidiotypic immune responses to a B cell lymphoma. Comparison between heavy chain hypervariable region peptides and intact Ig as immunogens. 19

Thomas, D. D., Baseman, J. B., and Alderete, J. F. Fibronectin tetrapeptide is a target for syphilis spirochete cytadherence. 1715

Thomas, L. *See* Yamazaki, Beauchamp, Thomas, and Boyse.

Thorbecke, G. J. *See* Coico, Xue, Wallace, Siskind, and Thorbecke.

Thorley-Lawson, D. A., , and Mann, K. P. Early events in Epstein-Barr virus infection provide a model for B cell activation. 45

Tidmarsh, G. F., Dailey, M. O., Whitlock, C. A., Pillemer, E., and Weissman, I. L. Transformed lymphocytes from Abelson-diseased mice express levels of a B lineage transformation-associated antigen elevated from that found on normal lymphocytes. 1421

Tilley, S. A., and Birshtein, B. K. Unequal sister chromatid exchange. A mechanism affecting Ig gene arrangement and expression. 675

Tokunaga, T. *See* Akagawa and Tokunaga.

Tomita, S., Ambrus, J. L., Jr., Volkman, D. J., Longo, D. L., Mitsuya, H., Reitz, M. S., Jr., and Fauci, A. S. Human T cell leukemia/lymphoma virus I infection and subsequent cloning of normal human B cells. Direct responsiveness of cloned cells to recombinant interleukin 2 by differentiation in the absence of enhanced proliferation. 393

Tony, H.-P., Phillips, N. E., and Parker, D. C. Role of membrane immunoglobulin (Ig) crosslinking in membrane Ig–mediated, major histocompatibility–restricted T cell–B cell cooperation. 1695

Tosi, R. *See* Gorski, Tosi, Strubin, Rabourdin-Combe, and Mach.

Townes, A. S. *See* Terato, Hasty, Cremer, Stuart, Townes, and Kang.

—, *See* Watson and Townes.

Townsend. Y. *See* Saklatvala, Sarsfield, and Townsend. Y..

Trentham, D. E. *See* Helfgott, Dynesius-Trentham, Brahn, and Trentham.

Trinchieri, G. *See* Degliantoni, Murphy, Kobayashi, Francis, Perussia, and Trinchieri.

Tung, J.-S. *See* Chorney, Tung, Bushkin, and Shen.

U

Uchiyama, T. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

Ullman, M. D. *See* Leslie, Gonnerman, Ullman, Hayes, Franzblau, and Cathcart.

Umetsu, D. T., Leung, D. Y. M., Siraganian, R., Jabara, H. H., and Geha, R. S. Differential requirements of B cells from normal and allergic subjects for the induction of IgE synthesis by an alloreactive T cell clone. 202

Urban, J. L. *See* Mullen, Urban, Van Waes, Rowley, and Schreiber.

Urdal, D. L. *See* Dower, Kronheim, March, Conlon, Hopp, Gillis, and Urdal.

V

van der Hoorn, F. A., Lahaye, T., Müller, V., Ogle, M. A., and Engers, H. D. Characterization of $gP85^{gag}$ as an antigen recognized by Moloney leukemia virus–specific cytolytic T cell clones that function in vivo. 128

Van Rood, J. J. *See* Falkenberg, Fibbe, Goselink, Van Rood, and Jansen.

Van Waes, C. *See* Mullen, Urban, Van Waes, Rowley, and Schreiber.

Vaughan, J. H. *See* Chen, Gõni, Houghten, Fong, Goldfien, Vaughan, Frangione, and Carson.

Verhave, J.-P. *See* Vermeulen, Ponnudurai, Beckers, Verhave, Smits, and Meuwissen.

Vermeulen, A. N., Ponnudurai, T., Beckers, P. J. A., Verhave, J.-P., Smits, M. A., and Meuwissen, J. H. E. T. Sequential expression of antigens on sexual stages of *Plasmodium falciparum* accessible to transmission-blocking antibodies in the mosquito. 1460

Victor-Kobrin, C., Bonilla, F. A., Bellon, B., and Bona, C. A. Immunochemical and molecular characterization of regulatory idiotopes ex-

pressed by monoclonal antibodies exhibiting or lacking β2-6 fructosan binding activity. 647

Vitetta, E. S., Ohara, J., Myers, C. D., Layton, J. E., Krammer, P. H., and Paul, W. E. Serological, biochemical, and functional identity of B cell–stimulatory factor 1 and B cell differentiation factor for IgG1. 1726

Volkman, D. J. *See* Tomita, Ambrus, Volkman, Longo, Mitsuya, Reitz, and Fauci.

W

Wagner, H. *See* Reimann, Kabelitz, Heeg, and Wagner.

Wallace, D. *See* Coico, Xue, Wallace, Siskind, and Thorbecke.

Wang, P. L. *See* Clayberger, Holmes, Wang, Koller, Parham, and Krensky.

Warren, D. J. *See* Sanderson, Warren, and Strath.

Watson, W. C., and Townes, A. S. Genetic susceptibility to murine collagen II autoimmune arthritis. Proposed relationship to the IgG2 autoantibody subclass response, complement C5, major histocompatibility complex (MHC), and non-MHC loci. 1878

Weinstein, D. E. *See* Kaplan, Weinstein, Steinman, Levis, Elvers, Patarroyo, and Cohn.

Weissman, I. L. *See* Tidmarsh, Dailey, Whitlock, Pillemer, and Weissman.

Weitzman, G. L. *See* Mekori, Weitzman, and Galli.

Welte, K. *See* Platzer, Welte, Gabrilove, Lu, Harris, Mertelsmann, and Moore.

Weyand, C. *See* Navarro, Jalkanen, Hsu, Søenderstrup-Hansen, Goronzy, Weyand, Fathman, Clayberger, Krensky, and Butcher.

Whitlock, C. A. *See* Tidmarsh, Dailey, Whitlock, Pillemer, and Weissman.

Whitnack, E., and Beachey, E. H. Inhibition of complement-mediated opsonization and phagocytosis of *Streptococcus pyogenes* by D fragments of fibrinogen and fibrin bound to cell surface M protein. 1983

Williams, A. F. *See* Jefferies, Green, and Williams.

Williamson, B. D. *See* Rubin, Anderson, Sullivan, Williamson, Carswell, and Old.

Wilson, D. B. *See* Spear, Kornbluth, Strominger, and Wilson.

Winchester, R. *See* Rudich, Winchester, and Mongini.

Woods, A. *See* Kim, Woods, Becker-Dunn, and Bottomly.

Wren, S. M. *See* Ildstad, Wren, Bluestone, Barbieri, and Sachs.

Wright, S. D., and Meyer, B. C. Fibronectin receptor of human macrophages recognizes the sequence Arg-Gly-Asp-Ser. 762

X

Xue, B. *See* Coico, Xue, Wallace, Siskind, and Thorbecke.

Y

Yamada, A., Young, J. F., and Ennis, F. A. Influenza virus subtype–specific cytotoxic T lymphocytes lyse target cells coated with a protein produced in *E. coli*. 1720

—, Ziese, M. R., Young, J. F., Yamada, Y. K., and Ennis, F. A. Influenza virus hemagglutinin–specific cytotoxic T cell response induced by polypeptide produced in *Escherichia coli*. 663

Yamada, Y. K. *See* Yamada, Ziese, Young, Yamada, and Ennis.

Yamamoto, K. *See* Blanckmeister, Yamamoto, Davis, and Hämmerling.

Yamamura, T. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Yamatodani, A. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Yamazaki, K., Beauchamp, G. K., Thomas, L., and Boyse, E. A. The hematopoietic system is a source of odorants that distinguish major histocompatibility types. 1377

Yee, D. *See* Epstein, Hofmeister, Yee, Smith, Philip, Cox, and Epstein.

Yodoi, J. *See* Maeda, Shimizu, Ikuta, Okamoto, Kashihara, Uchiyama, Honjo, and Yodoi.

—, *See* Minato, Amagai, Yodoi, Diamanstein, and Kano.

Yonezawa, T. *See* Nakano, Sonoda, Hayashi, Yamatodani, Kanayama, Yamamura, Asai, Yonezawa, Kitamura, and Galli.

Yoshimura, L. *See* Ford, Yoshimura, Morgan, Quesada, Montagna, and Maizel.

Young, J. F. *See* Yamada, Young, and Ennis.

—, *See* Yamada, Ziese, Young, Yamada, and Ennis.

Young, N. S. *See* Moore, Frank, Müller-Eberhard, and Young.

Ythier, A. *See* Kirkman, Barrett, Gaulton, Kelley, Ythier, and Strom.

Z

Zamvil, S. S., Nelson, P. A., Mitchell, D. J., Knobler, R. L., Fritz, R. B., and Steinman, L. Encephalitogenic T cell clones specific for myelin basic protein. An unusual bias in antigen recognition. 2107

Ziese, M. R. *See* Yamada, Ziese, Young, Yamada, and Ennis.

Zinkernagel, R. M., Leist, T., Hengartner, H., and Althage, A. Susceptibility to lymphocytic choriomeningitis virus isolates correlates directly with early and high cytotoxic T cell activity, as well as with footpad swelling reaction, and all three are regulated by H-2D. 2125